

ANIMA

/JEAN-MICHEL WILMOTTE



Gunmetal finishing

ANIMA

/JEAN-MICHEL WILMOTTE

Anima - first collaboration with the famous architect Jean-Michel Wilmotte - is a reinterpretation of the abat-jour lamp.
A classic revisited and updated.

A turned aluminum body and a LED source with dedicated optics.
An opaline glass, diffuses and reflects soft and comfortable light.
A outer frame composed by four elements made in photo-etched stainless steel.

A brushed stainless-steel stem shows and houses the colored fabric power cable.

A base in transparent glass, framed by an anodized ring.
A dedicated dimmer, in turned aluminum, to match the lamp's metal finish.

No detail of Anima has been left to chance.

*Anima, prima collaborazione con il celebre architetto Jean Michel Wilmotte, è la reinterpretazione dell'abat-jour da tavolo.
Un classico rivisitato e attualizzato.*

Corpo in alluminio tornito che alloggia un LED engine con ottica dedicata.

Vetro smaltato bianco, diffondente e riflettente per una luce morbida e confortevole.

Corona esterna in acciaio fotoinciso.


Stelo, in acciaio inox spazzolato, che mostra e alloggia il cavo di alimentazione in tessuto colorato.

*Base in vetro trasparente, incorniciato da un anello anodizzato.
Dimmer dedicato, in alluminio tornito, accoppiato alle finiture metalliche della lampada.*

Nessun dettaglio di Anima è stato lasciato al caso.



Anodised Brass finishing





Anodised Blue finishing







Matt Black finishing






Matt White finishing

TECHNICAL DATA

ANIMA

Jean-Michel Wilmotte | 2023



FINISHINGS

Matt Black 3000K - cod. ANM010PK30 2700K - cod. ANM010PK27	Matt White 3000K - cod. ANM020PK30 2700K - cod. ANM020PK27
Anodised Brass 3000K - cod. ANM50XOK30 2700K - cod. ANM50XOK27	Anodised Blue 3000K - cod. ANM51XOK30 2700K - cod. ANM51XOK27
Gunmetal 3000K - cod. ANM32K30 2700K - cod. ANM32K27	

LIGHT EMISSION


Light source power: 8,75W	Emitted Flux 3000K : 488lm
Power absorption: 11,4W	Emitted Flux 2700K : 462lm
Light Emission: Diffuse	Efficacy 3000K : 43lm/W
Light Direction: Downlight	Efficacy 2700K : 41lm/W
Light Source: Discrete LED	CCT: 2700K/3000K
Source Flux 3000K : 792lm@700mA	CRI: 97
Source Flux 2700K : 750lm@700mA	Lifetime: >55000h

ELECTRICAL FACTS

Stand-by absorption: <0.6
Mains Voltage: 100/264VAC
Master output: 700mA
Ta max: 40°C

PACKAGING DATA

Box dimensions: 43x43x23 cm
Volume: 0,04 m³
Gross weight: 6,3 kg



CONTACTS

Lumina Italia srl

Via Casorezzo, 63
20004 Arluno (Milan)
Italy

T. +39 02903752

info@lumina.it
lumina.it

